



# IT Risk Assessment Template

10 Apr 2023 / East Coast Data Center / Justine J.

**Complete**

Score	0%	Flagged items	1	Actions	0
<b>Conducted on</b>					10.04.2023 10:30 PST
<b>System Owner</b>					East Coast Data Center
<b>Prepared by</b>					Justine J.

**Flagged items**

1 flagged

Audit / Risk Assessment / Vulnerability / Vulnerability 2 / Risk rating

**Risk rating**

High

## General

### Describe the purpose of this IT security risk assessment

To assess current information security risks

### Describe the scope of the risk assessment

East Coast facility

### List all participants including role (e.g. system owner, system custodian, network manager etc.)

Head of IT  
Facility Manager

### Describe key technology components including commercial software

Desktops, Laptops, Server Room, proprietary software

### Describe how users access the system and their intended use of the system

Staff access the system by logging in to their designated desktops, management have their designated laptops

## Risk Assessment

1 flagged

Click Add Vulnerability (+) after you have identified a vulnerability or threat source

## Vulnerability

1 flagged

### Vulnerability 1

#### Threat Source & Vulnerability

#### Observation

Reception desktop left unlocked

#### Threat source/ vulnerability

Intentional Insider

#### Evidence (flow diagrams, screenshots etc.) (optional)




Photo 1

### Existing controls

Guard near the door  
CCTV

### Risk rating

Consequence

Medium

Likelihood

Unlikely

Risk rating

Medium

### Recommended Controls

#### Recommended controls or alternative options for reducing risk

Reinforce the importance of locking the PC when not in use. I will talk to Anne and remind her of our directive to improve our information security for ISO 27001 certification.

### Vulnerability 2

1 flagged

### Threat Source & Vulnerability

#### Observation

Laptop doesn't have password set

Threat source/ vulnerability

Intentional Outsider

#### Evidence (flow diagrams, screenshots etc.) (optional)




Photo 2




Photo 3

### Existing controls

This was a laptop issued last month and should already have the default password before it was handed to the new staff.

### Risk rating

1 flagged

Consequence

High

Likelihood

Likely

**Risk rating**

High

**Recommended Controls**

**Recommended controls or alternative options for reducing risk**

Will meet with Dan H. who issued the new laptop and his supervisor Trevor N. Will advise about a possible warning.

**Vulnerability 3**

**Threat Source & Vulnerability**

**Observation**

east exit's newly installed glass door magnetic locks are malfunctioning

**Threat source/ vulnerability**

Intentional Outsider

**Evidence (flow diagrams, screenshots etc.) (optional)**



Photo 4

**Existing controls**

Guard by the door and CCTV

**Risk rating**

**Consequence**

High

**Likelihood**

Unlikely

**Risk rating**

Medium

**Recommended Controls**

**Recommended controls or alternative options for reducing risk**

Facilities need to fix the magnetic lock. Exit will guarded 24/7 but we will not allow access to this door until this is fixed.

**Completion**

## Recommendations

Majority of staff are still on holiday vacation but we found plenty of security risks today. Will conduct a meeting when everybody's back next week to reinforce the directive to get our ISO 27001 certification.

---

## Signature



Justine J.  
10.04.2023 11:00 PST

---

## Media summary



Photo 1




Photo 2




Photo 3



Photo 4