



Ladder Inspection Checklist

9 May 2023 / L48D3R / SafetyCulture Staff

Complete

Score	50%	Flagged items	3	Actions	0
Site conducted					Unanswered
Ladder Reference #	L48D3R				
Client / Site	HandyDandy Ladder and Scaffolding				
Date Purchased	08.04.2015				
Location	30543 Rd 158, Visalia, CA 93292, USA				
Conducted on	09.05.2023 12:54 PST				
Prepared by	SafetyCulture Staff				

Flagged items

3 flagged

Audit / Ladder Inspection

Free from dents, cracks and damages

No

Dents are visible on the base of the ladder



Photo 3

Audit / Ladder Inspection

Feet of ladder work properly and have slip-resistant pads

No

The base has resistance pad but has some deformities



Photo 4

Audit / Ladder Inspection

Rung locks and spreader braces are working

No

The spreader braces are badly dented



Photo 5

General Information

Take a photo of the ladder



Photo 1

Take a photo of the tag or label



Photo 2

Type of ladder

Portable

Construction of ladder

Metal

Length

5.6 m

Class

Type I (Heavy Duty)

Weight supported

175 kgs

Ladder Inspection

3 flagged, 50%

Free from dents, cracks and damages

No

Dents are visible on the base of the ladder



Photo 3

REFERENCE: Ladder free of dents, cracks and damages

[This is an example of how you can use iAuditor to include best practice reference images in your

templates to assist with inspections]



Feet of ladder work properly and have slip-resistant pads

No

The base has resistance pad but has some deformities



Photo 4

Rung locks and spreader braces are working

No

The spreader braces are badly dented




Photo 5

Side rails have no signs of deterioration, dents and rusts

Yes

Bolts and rivets are secured

Yes

Rope is undamaged

Yes

Steps and rungs are free from oil, grease and other materials

No

Dusty steps



Photo 6

Ladder stored properly (when not in use)

Yes

Ladder was stored in an equipment room.

Other defects observed?

None

Take a photo of other defects (optional)

None

Overall Rating

Do Not Use

Recommendations

Please write here

1. Always check the ladder for dents, cracks and step connections.
2. Make sure that the feet work properly and slip-resistant pads.
3. Rung locks and spreader braces should be in good working conditions.
4. Keep steps and rungs clean and free from dirt.
5. Label the ladder "Do Not Use" if you see any damages.

Completion

Full Name and Signature of the Inspector

Nico Ramos
10.05.2023 15:06 PST

Media summary



Photo 1



Photo 2



Photo 3



Photo 4



Photo 5



Photo 6