# Go digital today!

### Convert your paper checklists into digital forms

Scan this QR code to use this paper checklist on your smartphone or tablet or visit https://safetyculture.com/









Title Page	
Client / Site	
Location	•
Conducted on	
Prepared by	
List hazards on site	
Details	

#### **Excavation Safety Discussion**

## Some key Definitions:

Competent Person means one who is capable of identifying existing and predictable hazards in the surroundings, or working conditions which are unsanitary, hazardous, or dangerous to employees, and who has authorization to take prompt corrective measures to eliminate them.

Protective System means a method of protecting employees from cave-ins, from material that could fall or roll from an excavation face or into an excavation, or from the collapse of adjacent structures. Protective systems include support systems, sloping and benching systems, shield systems, and other systems that provide the necessary protection.

Registered Professional Engineer means a person who is registered as a professional engineer in the state where the work is to be performed. However, a professional engineer, registered in any state is deemed to be a "registered professional engineer" within the meaning of this standard when approving designs for "manufactured protective systems" or "tabulated data" to be used in interstate commerce.

Support System means a structure such as underpinning, bracing, or shoring, which provides support to an adjacent structure, underground installation, or the sides of an excavation.

Tabulated Data means tables and charts approved by a registered professional engineer and used to design and construct a protective system.

Trench (Trench excavation) means a narrow excavation (in relation to its length) made below the surface of the ground. In general, the depth is greater than the width, but the width of a trench (measured at the bottom) is not greater than 15 feet.

Factors to consider before starting an excavation project:

- 1. Traffic
- 2. Proximity and physical condition of nearby structures
- 3. Soil classification

- 4. Surface and groundwater
- 5. Location of the water table
- 6. Overhead and underground utilities
- 7. Weather
- 8. Quantity of protective systems that may required
- 9. Fall protection needs
- 10. Number of ladders that may be needed

Excavation and trenching are one of the most hazardous work operations. To protect workers from injuries and fatalities, preventive measures should be implemented when workers begin excavating:

- 1. Inspect trenches daily before work begins. Don't go near an unprotected trench.
- 2. Check weather conditions before work, be mindful of rain and storms.
- 3. Keep heavy equipment away from trench edges.
- 4. Be mindful of the location of utilities underground.
- 5. Always wear proper protective equipment.
- 6. Don't work beneath raised loads.
- 7. Conduct atmosphere tests. If low oxygen and toxic gases were detected, workers must not enter the trench.
- 8. Protective systems like benching, sloping, shoring and shielding must be created.
- 9. Planning and implementation of safety measures must be done by a competent person.

#### **Follow Up Questions**

Do all employees fully understand hazards and the preventive measures before commencing to an excavation project?		
Yes	No N/A	
	s which can affect safety and health of workers?	
	cidents and physical injuries while doing excavation works?	

Are there any accidents due to not wearing proper PPE during work?		
Yes No N/A		
Does anyone experience any concurrent health conditions which need to be addressed immediately?		
Yes No N/A		
Are there any other concerns?		
☐ Yes ☐ No ☐ N/A		
confirmation		
Competent Person (Full Name and Signature)		
By signing this, you confirm that the information discussed during this meeting were fully understood.		
Click + to add signee who participated during the toolbox talk meeting		
Signee		
Full Name and Signature		

The templates available in our Public Library have been created by our customers and employees to help get you started using SafetyCulture's solutions. The templates are intended to be used as hypothetical examples only and should not be used as a substitute for professional advice. You should seek your own professional advice to determine if the use of a template is permissible in your workplace or jurisdiction. You should independently determine whether the template is suitable for your circumstances.